

ACCESSORIES

*Available in Anodised Aluminium or Powder Coated Green
 **Available in Powder Coated Black



1 Tier Staging**
 1.2m (L) x 0.5m (D) x 0.75m (H)



2 Tier Staging**
 1.2m (L) x 0.5m (D) x 0.75m (H)



Folding Staging* (down)
 1.2m (L) x 0.5m (D) x 0.75m (H)



Top Tier Staging**
 1.2m (L) x 0.25m (D) x 0.75m (H)



Aluminium Shelf*
 1.25m (L) x 0.25m (D)



Folding Shelf* (up)
 1.25m (L) x 0.25m (D)



No Shelf Set



New Staging



Secure Window**



Additional Weir**



Auto Louvre Opener



Auto Vent Opener



Max/Min Thermometer



Soil Thermometer



Hygrometer
 Thermometer



Bar Capping



Curtain Shading



Bases




Downpipe Kit
 Water Butt and Connector



Cresting



Glazing Rubber (20m)
 Door Maintenance Kit
 (Dx 1534, Dx 1010, Dx 1000/1710)



Screws



Nuts and Bolts



Glass Retaining Clips
 Glazing Spring Clips

"Above all, the greatest joy of owning a greenhouse is that feeling of stepping into your own private world, leaving the weather and your worries behind you"



Vitavia
 greenhouses

Vitavia.co.uk

VITAVIA GARDEN PRODUCTS LTD

Unit 2, Tuddenham Road, Business Centre, Tuddenham Road, Ipswich, Suffolk
 IP4 3QN United Kingdom

t: +44 (0) 1473 218100 f: +44 (0) 8712 234893 e: info@vitavia.co.uk

@vitavia Ltd

All orders are subject to Vitavia's General Terms and Conditions © Copyright Vitavia Garden Products 2017

Vitavia
 greenhouses



WHAT CAN I DO IN MY GREENHOUSE ALL YEAR?



As the grow your own philosophy continues to gather momentum, there has never been a better time to buy a greenhouse.

With a wide range of quality products at affordable prices, suitable for every situation, Vitavia has become the first choice for gardeners when selecting their greenhouse.

A Vitavia greenhouse makes growing your own easy and every sale is backed by our total commitment to customer care.

The range has been developed by an expert team and our products are manufactured in the dedicated Vitavia factory under strict quality guidelines.

We have a network of retailers throughout the UK. To find your nearest retailer simply visit our website, alternatively you can phone or email us and our friendly customer services team will be happy to help.

Vitavia means 'the way of life' and for many people growing your own with Vitavia has become a very rewarding way of life.

KEY FEATURES

- *Anodised aluminium frames
- Powder-coated green frames
- Powder-coated black frames
- Standard gutters and vents on all models
- Models approved by TÜV Standards Authority
- Cover plates and braces for added strength
- Strong reinforced bases protect frame and bases in transit

*Anodised Aluminium surfaces are harder than Aluminium and have increased resistance to corrosion and water which means your greenhouse will continue to retain its pristine appearance.

CONTENTS

- Contents
- Finya
- Venus
- Apollo
- Orion
- Satum
- Jupiter
- Phoenix
- Cassandra
- Neptune
- Zeus
- Sirius
- Hera
- Aphrodite
- Ida
- Ida/Helena
- Gala
- Growing Guide
- Growing Guide
- Accessories

Vitavia has a policy of continuous product development, and reserves the right to alter specifications without notice.

TASKS

NOVEMBER/DECEMBER

- Remove shading and clean glass, framework and staging with garden disinfectant
- Repair any cracks or holes which could cause heat loss
- Insulate greenhouse
- Ensure gutters and downpipes are not blocked with leaves
- Keep greenhouse dry and cool, and ventilate on sunny days
- Ensure that heaters are working properly
- Clean and tidy flower pots, trays etc and store neatly, ready for spring

JANUARY

- Maintain temperature above 45°F
- Keep plants well lit but cover if possibility of frost
- Water plants according to their individual needs
- Don't wet plants or staging to avoid diseases
- Check for slugs and pests
- Order seeds and compost ready for spring

FEBRUARY

- Water more often, but make sure soil not overwatered
- Check for frosty weather and keep temperature constant
- Cover tender plants if necessary
- Spray pests if necessary
- Prepare seed trays

MARCH

- Keep temperature between 45°F and 65°F
- Heat greenhouse at night and ventilate during day
- Use liquid fertilizer for young plants
- Watch for greenfly, whitefly and red spider mite and spray if necessary
- Use capillary matting if beneficial for watering
- Prepare hanging baskets

APRIL

- Keep temperature between 45°F and 70°F
- Open roof vents
- Use shading on sunny days, or cover seedlings with newspaper
- Keep watching for pests. Feed growing plants regularly
- Use less heating and remove insulation

PLANTS

- Store Fuchsia and Hydrangea plants under staging for winter
- Store Chrysanthemum and Dahlia tubers
- Plant Iris bulbs ready for spring
- Pot on hardy annuals such as Parsnips and Sweet Peas ready for bedding in the spring
- Pot up perennials such as Lupins and Delphinium
- Sow types of Lettuce, Carrots, and French Beans
- Pot up Chives, Parsley and Mint for winter supply

- Feed spring flowering bulbs ie. Hyacinth, Crocus and Narcissus
- Store Polyanthus and container-grown Roses inside
- Take Chrysanthemum cuttings
- Pot up rooted seedlings, such as Pelargonium
- Sow some bedding plants in heated propagator, ie Lobelia, Verbena and Carnations
- Plant Early Potatoes for cropping in May

- Sow Bedding Plant seeds
- Bring stored Fuchsia Hydrangea and Dahlia into sunlight
- Sow Tomato seeds
- Sow Onions, Parsnips, Sprouts, Cabbage, Broad Beans, Peas and Aubergines
- Pot up Strawberry runners

- Prick out Bedding Plant seedlings from last month and sow later seeds
- Take Chrysanthemum and Fuchsia cuttings
- Prick out Tomato seedlings
- Sow Cucumber seeds
- Sow Courgette, Celeriac, Sweet Corn, Runner Beans, Leeks and Peppers

- Sow Marigold seeds
- Prick out last month's Bedding Plant seedlings and harden off
- Plant out Dahlia cuttings, Parsnips and Sweet Peas
- Feed Tomatoes, pick out side shoots
- Plant Cucumber plants into grow bags
- Sow Marrow and Courgettes to plant out in May/June
- Begin to harvest Strawberries
- Re-pot and split some Houseplants

TASKS

MAY

- Keep temperature below 80°F when sunny
- Use shading, especially on south facing glass
- Heating may still be required at night
- Open all ventilators if necessary and open door
- Damp down floors if weather sunny to cool and humidify greenhouse
- Feed and water plants regularly

JUNE

- Stop using greenhouse heating - service and store heaters until winter
- Keep using shading as plants prone to scorching
- Keep temperature down by continued ventilation
- Feed and water plants regularly
- Damp down floors if weather sunny to cool and humidify greenhouse
- Move plants for garden out of greenhouse (harden off first)
- Clean and tidy up plant pots and trays

JULY

- Keep using shading as plants prone to scorching
- Keep temperature down by continued ventilation
- Feed and water plants regularly
- Damp down floors if weather sunny to cool and humidify greenhouse
- Take cuttings

AUGUST

- Watch out for mould and use fungicide if necessary
- Regulate heat using ventilators
- Feed and water plants regularly
- Take cuttings
- Plant bulbs

SEPTEMBER

- Temperature can fluctuate and heaters may be required
- Remove shading so maximum light in greenhouse
- Bring in frost sensitive plants from outside
- Check plants for pests before bringing in

OCTOBER

- Maintain temperature above 45°F
- Ventilate only on a warm day
- Water plants sparingly and carefully
- Remove dead heads, fallen leaves etc to prevent mould
- Bring all half hardy plants inside
- Insulate greenhouse again if necessary

PLANTS

- Pot up any cuttings which have rooted, ie. Fuchsia
- Take cuttings from Houseplants
- Harden off Bedding Plants
- Make up Hanging Baskets and Tubs to put out in June
- Harden off Dahlia plants
- Train up Tomato and Cucumber plants, feed and water
- Harvest Lettuce, French Beans, Potatoes and Strawberries

- Move Carnations and Chrysanthemum outside
- Move Hanging Baskets and Tubs outside
- Plant summer flowering Bedding Plants in garden
- Harvest early Tomatoes and Cucumbers
- Harvest Lettuce, Carrots, French Beans, Beetroot, and Radishes

- Move Fuchsias and Pelargoniums outside
- Move container grown Roses outside
- Take cuttings of shrubs such as Forsythia and Weigela
- Harvest Tomatoes and Cucumbers
- Sow Parsley
- Harvest Lettuces, Radishes and Peppers
- Peg down Strawberry runners

- Plant Hyacinth, Narcissus and Cyclamen for Xmas and Primula
- Take Fuchsia and Pelargonium cuttings
- Take Hebe and Lavender cuttings
- Harvest Tomatoes and Cucumbers, Lettuce, Radishes and Peppers
- Plant Potatoes in pots for Xmas

- Bring in pot plants before frosts arrive
- Sow Parsnips and Sweet Peas for spring
- Store Pelargonium and Fuchsia plants
- Harvest Tomatoes, Peppers and Aubergines
- Clear up Cucumbers

- Plant Tulip, Hyacinth, Crocus and Snowdrop bulbs ready for spring
- Bring Chrysanthemums indoors and cut flowers
- Lift Tomato plants when crop finished
- Harvest Tomatoes, Peppers and Aubergines
- Sow spring cropping Lettuces

Vitavia

greenhouses

For more information and all the latest news, visit us at www.vitavia.co.uk or call 01473 238100.

@VitaviaLtd



FREYA

The Freya greenhouse combines great growing space with a smart pent roof design.

A free-standing greenhouse with an impressive eave height of 1.69m rising to 2.4m, Freya combines all the benefits of a lean-to-wall garden and a traditional freestanding greenhouse. In the front there is a double sliding door that ensures easy and unobstructed access to the greenhouse. Ventilation is ensured by 2 top-hinged side windows and a louvre window above the doors.

Freya is made of powder coated grey aluminum profiles and comes with 6 mm polycarbonate panes in the roof and 3 mm full pane toughened glass in the front and sides. Rainwater downpipes are also included as standard.



Freya 7600 Grey



Freya 5900 Grey

“...smart pent roof design...”

MODEL	DIMENSIONS	VENTS	GROWING AREA
Freya 5900 (8' x 6')		1	5.9m ²
Freya 7600 (8' x 8')		2	7.6m ²

“...a modern twist on the traditional...”



VENUS

The Venus – ideal for any gardener, the 1.93m (6'4") wide Venus greenhouse is available in 5 sizes, to meet the needs of both the beginner and the experienced gardener.

There is a single sliding door which can be positioned to the left or the right and held in any desired position using the simple lever mechanism.

The Venus is equipped with 1 or 2 roof vents, depending on size and the structure has been strengthened with the inclusion of roof braces, with additional side braces in the Venus 7500.



Venus 5000



Venus 7500




Venus 3800

"...ideal for any gardener..."

The complete Vitavia range is available in both powder coated green or *anodised aluminium.

(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)

MODEL	DIMENSIONS	VENTS	GROWING AREA
Venus 2500 (6' x 4')		1	2.5m ²
Venus 3800 (6' x 6')		1	3.8m ²
Venus 5000 (6' x 8')		1	5.0m ²
Venus 6200 (6' x 10')		2	6.2m ²
Venus 7500 (6' x 12')		2	7.5m ²



APOLLO

LOW
THRESHOLD
FOR EASY
ACCESS

The Apollo – from novice to expert. This greenhouse is available in 5 sizes to meet the needs of any gardener. Its design is based on the Venus with the added benefit of an integral base with a low threshold entrance for easy access.

There is a single sliding door which can be positioned to the left or the right. The Apollo is equipped with 1 or 2 roof vents, depending on size and the structure has been strengthened with the inclusion of roof braces, with additional side braces in the Apollo 7500.

The low threshold entrance distinguishes the Apollo from the Venus range. Not having to step over a perimeter base reduces any risk of tripping.



Low threshold entrance, easy access



Integral gutters as standard (downpipes optional extra)




Roof vent(s) included as standard



Integral steel perimeter base



Roof braces, corner plates and side braces for additional strength

MODEL	DIMENSIONS	VENTS	GROWING AREA
Apollo 2500 (6' x 4')		1	2.5m ²
Apollo 3800 (6' x 6')		1	3.8m ²
Apollo 5000 (6' x 8')		1	5.0m ²
Apollo 6200 (6' x 10')		2	6.2m ²
Apollo 7500 (6' x 12')		2	7.5m ²



ORION

The Orion – available in 2 sizes, each 1.93m (6'4") wide the Orion has attractive curved eaves for optimum growing height.

The two models have a smooth action sliding door, 1 roof vent and the Vitavia integral standard gutters.

As well as precisely cut glass, the Orion is supplied with u/v protected clear polycarbonate panels for the curved eave sections.

The complete Vitavia range is available in both powder coated green or *anodised aluminium.



"...optimum growing height..."




Orion 5000



Auto vent



Orion 3800

MODEL	DIMENSIONS	VENTS	GROWING AREA
Orion 3800 (6' x 6')		1	3.8m ²
Orion 5000 (6' x 8')		1	5.0m ²

(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)



SATURN

The Saturn (Diana) – available in 5 sizes, each 2.57m (8'5") wide, the Saturn (Diana) makes a real statement with its attractive curved eaves.

The five models in the range have double doors for increased access and the Vitavia integral standard gutters.

Depending on size, the Saturn (Diana) is equipped with up to 4 roof vents and, as well as precisely cut glass, is supplied with u/v protected clear polycarbonate panels for the curved eave sections.

The complete Vitavia range is available in both powder coated green or *anodised aluminium.



Saturn 9900

"..attractive curved eaves.."




Saturn 8300



Downpipe kit

(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)

MODEL	DIMENSIONS	VENTS	GROWING AREA
Saturn 5000 (8' x 6')		1	5.0m ²
Saturn 6700 (8' x 8')		2	6.7m ²
Saturn 8300 (8' x 10')		2	8.3m ²
Saturn 9900 (8' x 12')		4	9.9m ²
Saturn 11500 (8' x 14')		4	11.5m ²



JUPITER

The **Jupiter (Uranus)** – Vitavia’s premium greenhouse is available in 4 sizes, each 2.57m (8’5”) wide with double doors. The Jupiter (Uranus) has an impressive eaves’ height of 1.51m (4’11”) offering increased headroom and working space.

Standard gutters are fitted, along with 2 - 4 roof vents depending on size. Additional strength is achieved by corner plates and braces throughout the building.

Jupiter greenhouses are available in powder coated green or anodised aluminium, and the larger two sizes (9900, 11500) are also available in powder coated black.



Jupiter 9900



“...our premium greenhouse...”



Jupiter 9900



Roof brace

MODEL	DIMENSIONS	VENTS	GROWING AREA
Jupiter 6700 (8' x 8')		2	6.7m ²
Jupiter 8300 (8' x 10')		4	8.3m ²
Jupiter 9900 (8' x 12')		4	9.9m ²
Jupiter 11500 (8' x 14')		4	11.5m ²

(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)



PHOENIX



The Phoenix – premium low threshold greenhouse, available in 4 sizes, each 2.57m (8'5") wide with double doors.

The Phoenix low threshold greenhouse has an impressive eaves' height of 1.57m (5'15") offering increased headroom and working space. Ridge height is 2.52m (8'3").

The Low Threshold entrance provides easy access for wheelchairs and wheelbarrows. Standard gutters are fitted, along with 2 – 4 roof vents depending on size.

Additional strength is achieved by corner plates and braces throughout the building.



Low threshold entrance, easy access



Integral gutters as standard (downpipes optional extra)





Roof vent(s) included as standard



Integral steel perimeter base (example is powder coated green)



Roof braces, corner plates and side braces for additional strength

MODEL	DIMENSIONS	VENTS	GROWING AREA
Phoenix 6700 (8' x 8')		2	6.7m ²
Phoenix 8300 (8' x 10')		4	8.3m ²
Phoenix 9900 (8' x 12')		4	9.9m ²
Phoenix 11500 (8' x 14')		4	11.5m ²



CASSANDRA

The **Cassandra** – designed for the discerning gardener who appreciates quality and aesthetics. It is supplied with full pane toughened glass throughout and the elegant bar capping, which secures the glass panes, adds a great finishing touch to this superior quality greenhouse. The low-level threshold gives unimpeded access.

Cassandra is available in two sizes: 9.9 m² (8' x 12') and 11.5 m² (8' x 14'). Both sizes are available with powder coated black aluminium profiles.

Designed to sit on a single skin dwarf wall, the required height is 50cm, the dwarf wall increases the insulation of the greenhouse, and although the wall is not included with the greenhouse frame it enables the customer to choose the material which best suits their taste.



By absorbing heat in the daytime and releasing it at night, the dwarf wall reduces temperature fluctuations. This provides a more even temperature in the greenhouse around the clock, providing gentle growing conditions for crops in the greenhouse.



Cassandra 9900 Aluminium



Cassandra 9900 Black

MODEL	DIMENSIONS	VENTS	GROWING AREA
Cassandra 9900 (8' x 12')		4	9.9m ²
Cassandra 11500 (8' x 14')		4	11.5m ²

“...a dwarf wall increases the insulation of a greenhouse...”



NEPTUNE

The Neptune (Merkur) – a quality greenhouse, 2.57m (8'5") wide with a single, sliding door with a simple lever mechanism to hold it in any desired position.

Corner plates at both eaves and ridge, together with roof and side braces, give this building improved strength.

Available in 4 sizes and with higher eaves (1.35m/4'5") than usually associated with this type of greenhouse, the Neptune (Merkur) also has the Vitavia standard gutter.

The complete Vitavia range is available in both powder coated green or anodised aluminium*.




Neptune 9900 with polycarbonate


"...a quality greenhouse..."



Neptune 6700



Louvre Windows

MODEL	DIMENSIONS	VENTS	GROWING AREA
Neptune 6700 (8' x 8')		2	6.7m ²
Neptune 8300 (8' x 10')		2	8.3m ²
Neptune 9900 (8' x 12')		2	9.9m ²
Neptune 11500 (8' x 14')		2	11.5m ²



The Zeus – designed for the passionate hobby gardener, this strong and beautiful greenhouse has an impressive eaves height of 1.89m (6'2"), offering an extraordinary amount of working space and the long pane float glass provides a particularly elegant appearance.

This semi-professional greenhouse with extra-long glass panes is available in 5 sizes (8.1m² to 15.7m²) with 4mm float glass side panes and 10mm polycarbonate roof panes. It is available in anodised aluminium or powder coated black (extended delivery lead time) with an integral base.

A lockable stable door equipped with strong fixings provides additional ventilation options without having to expose plants to cold drafts. The polycarbonate roof minimises heat loss and reduces condensation.

NB – the extra strong Zeus frame means it can be installed directly onto a flat surface without a base plinth.





"...semi-professional greenhouse..."



Zeus 15700



Zeus frame

MODEL	DIMENSIONS	VENTS	GROWING AREA
Zeus 8100 (8' x 10')	2.50m 	2	8.1m ²
Zeus 10000 (8' x 13')	2.50m 	2	10m ²
Zeus 11900 (8' x 15')	2.50m 	2	11.9m ²
Zeus 13800 (8' x 18')	2.50m 	2	13.8m ²
Zeus 15700 (8' x 20')	2.50m 	2	15.7m ²

(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)

The Sirius 13000 – spacious ‘Orangery style’ greenhouse, beautifully designed with many fine features.

Lots of space for growing plants or just relaxing (or both!)

It offers an impressive eaves’ height of 1.57m and the glass is held securely in place with a new black rubber capping system.

A strong matching steel base and three downpipes are included as standard, as well as double doors and 4 roof vents.

Available in anodised aluminium or powder coated in green or black.



Sirius 13000


“..orangery style..”



Sirius 13000



Optional Cresting

MODEL	DIMENSIONS	VENTS	GROWING AREA
Sirius 13000		4	13m ²

...grow plants or just relax..”



(*Anodisation is a process the aluminum goes through to keep it looking pristine throughout its life)



HERA

The Hera – an attractive garden room style greenhouse which will enhance the appearance of any garden.

Available in two sizes, the Hera offers either 4.5m² or 9.0m² of gardening or leisure space.

With an eaves' height of 1.82m (6.0') they are particularly suited to the taller gardener.

Both models look spectacular in either anodised aluminium or powder coated green.

The Hera 9000 has full length glass side panes and 6mm polycarbonate roof panels and is also available in powder coated black.



Hera 4500


“...will enhance the appearance of any garden...”



Hera 9000



Hera Staging

MODEL	DIMENSIONS	LOUVRES/ VENTS	GROWING AREA
Hera 4500 (7' x 8')		2(L)	4.5m ²
Hera 9000 (11' x 12')		3(V)	9.0m ²



Hera 9000 Lock

“...ideal place to escape...”

(*Anodisation is a process the aluminium goes through to keep it looking pristine throughout its life)



APHRODITE

The **Aphrodite** – made of very strong powder coated white aluminum profiles. It has a pent roof providing exceptional internal height throughout and plenty of room for growing and growers alike!

There are double sliding doors at the front ensuring easy and unobstructed access to the greenhouse. Ventilation is provided by 3 top-hinged side windows and 2 tilt windows over the doors.

The Aphrodite is glazed with 10 mm polycarbonate sheets in the roof and 3 mm toughened full pane glass in the front, sides and back. Rainwater downpipes are also included.




Low threshold



Tilt windows



Aphrodite lock

MODEL	DIMENSIONS	VENTS	GROWING AREA
Aphrodite 11500 (14' x 8')		5	11.5m ²

“...pent roof provides exceptional internal height...”

The **Ida** – a wall garden perfect for gardeners who have limited space available.

Designed for use on balconies, patios or walled gardens, these models are ideal for plants, seedlings and tomatoes.

Each of the three models has one roof vent and a high ridge to ensure easy access.

The **Ida 900** and **1300** both have a single smooth action sliding door, whereas the **Ida 3300** has front mounted double doors for increased access.

Prefabricated steel bases are available as an optional extra, as is a shelf set for the **Ida 900** and **1300** which, comprising two shelves, substantially increases the growing area.

The complete **Vitavia** range is available in both powder coated green or *anodised aluminium.



Ida 900


“..ideal option where space is limited...”



Ida 1300



Ida Shelf Set

MODEL	DIMENSIONS	VENTS	GROWING AREA
Ida 900 (2' x 4')		1	0.9m ²
Ida 1300 (2' x 6')		1	1.3m ²
Ida 3300 (4' x 8')		1	3.3m ²

Three larger Ida models are also available. The new Ida's are all 2m (6') deep with 3 longer width options. Available in anodised aluminium*, the Ida's have double doors which can be positioned in the front of the building or separated as single doors in both sides.

A lean-to sited against a sunny wall is ideal for keeping you and/or your plants warm long after sunset as the greenhouse retains the warmth from the wall during most of the evening.

All Ida's come with 6mm polycarbonate roof panels

(*Anodisation is a process the aluminium goes through to keep it looking pristine throughout its life)

"... maximise your crop..."



MODEL	DIMENSIONS	VENTS	GROWING AREA
Ida 5200 (6' x 8')		1	5.2m ²
Ida 6500 (6' x 10')		2	6.5m ²
Ida 7800 (6' x 12')		2	7.8m ²

HELENA

The Helena – a conservatory is a style wall garden/greenhouse. The strong, tall and elegant anodised aluminium profiles allow in lots of daylight.

Large lockable double doors can be positioned in the sides or at the front.

It is glazed with full length glass side panels and 10mm polycarbonate roof panels, together with an integral base.



"... dual purpose structure..."

MODEL	DIMENSIONS	VENTS	GROWING AREA
Helena 8600 (9' x 11')		2	8.6m ²
Helena 10200 (9' x 13')		2	10.2m ²
Helena 11900 (9' x 15')		3	11.8m ²

The Gaia - A Cold Frame helps you grow and protect a surprising number of plants even in the smallest of areas.

A Cold Frame is effectively a 'mini' greenhouse, protecting seedlings and young plants from the vagaries of the changing climate and allowing you to over-winter established plants.

The Jumbo 'Gaia' Cold Frame provides additional growing height for your plants and is available with either 3mm horticultural or toughened glass, or with 4mm polycarbonate.

Like all Vitavia greenhouses, the Gaia Cold Frame is constructed from anodised aluminium, ensuring clean handling and a pristine finish.



Gaia Jumbo



Soil Thermometer



Gaia Jumbo



"...a mini greenhouse to protect seedlings and young plants..."

MODEL	DIMENSIONS	VENTS	GROWING AREA
Gaia (4' x 3')		4	1.0m ²